

# UC MAX

Automated urine chemistry analyzer



## As easy and reliable as it looks

Simplify testing, streamline workflow and deliver consistent, high-quality results using technology you can trust

Proven technology for accurate and reliable results



## Automation, reliability, and capability all in one

**UC-MAX** is the new A.Menarini Diagnostics **urine chemistry analyzer** that offers a fully automated approach, high throughput results and improved analytical performance.

**UC-MAX** can evaluate up to 12 chemical parameters and 3 physical parameters and deliver **accurate, standardized results**.

The system provides ease of operation with a color touch-screen, sample mixing capabilities and precise dosing for each test pad using the pipetting unit.

A patented detection technique and intelligent data management provide **maximum efficiency while making urinalysis simple**.



### Key features

- Fully automated process
- High throughput: 240 samples/hour
- Can load up to 100 samples
- Can load up to 300 strips
- Advanced patented detection technique
- Sample dosage with the pipetting unit
- Pediatric measurement mode with low sample volume
- Easier and more robust RFID-based rack identification
- No liquid detergents or calibrators needed
- User-friendly software and ease of operation using a color touch-screen
- Automated quality control analysis and maintenance procedures
- Integration to laboratory or hospital information systems
- Albumin-to-creatinine ratio (ACR) to identify early-stage kidney disease and protein-to-creatinine ratio (PCR)



Combined automation  
and efficiency for your lab



## Chemistry and sediment analysis in one platform for improved laboratory workflow

**UC-MAX** and **sediMAX conTRUST PRO**, the advanced A.Menarini Diagnostics brightfield and phase-contrast urine sediment analyzer, can be combined to create a **fully automated solution for urine analysis**.

Operation is enabled through hardware and software connections between the two analyzers, and the re-

sults of both measurements are stored in a common database and provided in the same report.

This advanced combination forms **a complete urine laboratory system**, improving throughput, providing a comprehensive urinalysis for maximum efficiency and increasing analytical accuracy within a routine setting.



### A winning combination



Automated urine sediment analyzer

- Fully automated BF and PC microscopy
- High throughput: 150 samples/hour
- 18 detected particle classes, and 3 flags including acanthocytes and ghost red blood cells



Automated urine chemistry analyzer

- Fully automated urine chemistry analysis
- High throughput: 240 samples/hour
- Up to 12 chemical parameters evaluated, including microalbumin and creatinine

# Technical specifications



Automated urine chemistry analyzer

Technology	Reflectance photometry, 4 discrete wavelengths
Evaluated parameters	Bilirubin, urobilinogen, ketones, ascorbic acid, glucose, proteins, blood, pH, nitrite, leucocytes via LabStrip U11 Plus MD or Labstrip U12 mALB/CREA MD test strips. Microalbumin, creatinine and calculated ACR and PCR (via Labstrip U12 mALB/CREA MD only). Specific gravity, color, turbidity via the PMC (physical measurement cell) module
Throughput	240 tests/hour
Batch size	Up to 100 test tubes
Min. sample volume	2 mL (checked by sample level sensor). pediatric mode: 1 mL (regular tubes) or 0.8 mL (pediatric tubes*)
On board stability	Up to 2 weeks using On Board Stability Kit
Memory	max. 10000 results
Display	800 x 600 TFT – LCD Touch screen
Barcode reader	Built-in barcode reader
Rack identification	RFID based
Size	600 x 520 x 635 mm (W x D x H)
Weight	55 kg
Input	100-250V AC / 50-60 Hz
Power consumption max	200 W
Interfaces	USB, RS232 serial port, PS2, VGA
Operating conditions	15-30 °C, 20-80% relative humidity (non-condensing)

\*Biosigma, code U9030, Conical tubes 6.5 mL

## List of products and codes

45448	UC-MAX
50191	LabStrip U11 Plus MD (150 test strips)
56247	LabStrip U12 mALB/CREA MD (150 test strips)
45463	sediMAX bridge
37036	KOVA Liqua-Trol liquid controls
55123	On Board Stability Kit
55122	Desiccant recharge (10 pcs)

### AUSTRIA

A. Menarini GmbH  
Pottendorfer Strasse 25-27  
A-1120 Wien, Austria  
Tel. +43-1-80415760  
Fax +43-1-8043194  
www.menarinidiagnostics.at

### BENELUX

Menarini Benelux N.V./S.A  
Division Diagnostics  
De Kleetlaan 3  
1831 Diegem, Belgium  
Tel. +32-2-7214930  
Fax +32-2-7215049  
www.menarinidiagnostics.be

### FRANCE

A. Menarini Diagnostics France SASU  
3-5, rue du Jura - BP 70511  
94633 Rungis Cedex, France  
Tel. +33-1-56346910  
Fax +33-1-56346911  
www.menarinidiagnostics.fr

### GERMANY

A. Menarini Diagnostics Deutschland  
Eine Division der Berlin Chemie AG  
Glienicke Weg 125 - 12489 Berlin, Germany  
Tel. +49-30-67073000  
Fax +49-30-67073020  
www.menarinidiagnostics.de

### GREECE

A. Menarini Diagnostics s.a.  
575, Vouliagmenis Ave.  
164 51 Argyroupolis - Athens, Greece  
Tel. +30-210-99 44 950  
Fax +30-210-99 45 029  
www.menarinidiagnostics.gr

### ITALY

A. Menarini Diagnostics Srl  
Via Lungo l'Erma, 7  
50012 Bagno a Ripoli - Firenze, Italy  
Tel. +39-055-5680422  
Fax +39-055-5680905  
www.menarinidiagnostics.it

### PORTUGAL

Menarini Diagnósticos, LDA  
Quinta da Fonte - Edifício D. Manuel I, 2º B  
2770-203 Paço de Arcos, Lisbon, Portugal  
Tel. +351-210-930-000  
Fax +351-210-930-001  
www.menarinidiag.pt

### SPAIN

A. Menarini Diagnostics S.A.  
Avenida del Maresme 120  
08918 Badalona, Barcelona, Spain  
Tel. +34-93-50-71000  
Fax +34-93-27-80215  
www.menarinidiag.es

### SWEDEN

A. Menarini Diagnostics S.r.l., Italien filial (Sverige)  
Medeon Science Park  
Per Albin Hanssons väg 41, Hus D  
205 12 Malmö, Sweden  
Tel. +46-40-321270  
Fax +46-40-321271  
www.menarinidiagnostics.se

### UNITED KINGDOM

A. Menarini Diagnostics Ltd  
405 Wharfedale Road  
Wetherby, Wokingham  
Berkshire RG41 5RA, UK  
Tel. +44-118-944 4100  
Fax. +44-118-944 4111  
www.menarinidiag.co.uk

### HEADQUARTERS

A. MENARINI DIAGNOSTICS S.R.L.  
Via Sette Santi, 3  
50131 Firenze (Italy)  
www.menarinidiagnostics.com